



SmartCharge 6A

Item number: 706060

SmartCharge 6A

Portable battery charger

A very userfriendly battery charger who is solving most of the charging jobs at home, in your caravan or your boat and for more proffesional jobs. SmartCharge represents the latest technology within battery charging which will give the battery optimum life.

Use

Take time to read the user manual and follow the instructions before using the charger!

Functions

- · Backlit user friendly interface and display
- Adapts automatically to the size of your battery
- A meter to easily read the actual power level of your battery
- Integrated cable management
- It will never over-charge your battery
- Temperature compensated charging cycle









Specifications

Item number 706060

Input voltage 230, 50-60 VAC, Hz

Charge power, max 115 W

Inverse current < 1 mA

Output voltage 14,4/14,7 VDC

Operating temperature -40 ~ +40°C

Cooling Air

Type of batteries All types of lead/acid, AGM and GEL, open and closed.

Battery size 12/10-150 V/Ah

IP rating IP 65

Isolation class cl II

L/W/H Charger: 210x90x54 mm (LxWxH)

Box: 252x102x55 mm (LxWxH)

Volume: 1,14 dm³

Weight, brutto 735 g

Certifications EN60335-1, EN60355-2-29, EN 61204-3, EN61000-3-3, EN61000-3-2

DEFA AS is conforming to the requirements ISO 9001, ISO 14001 and ISO 45001.

In addition to this, our engine heaters and cables are conforming to the

requirements of IATF 16949.

Packaging Single pack only.

A variety of SmartCharge accessories are available.

