



Protect<sub>2.0</sub> & Neptune<sub>2.0</sub>

A step ahead of the competition



# A new generation of vandal proof fittings!

# Neptune<sub>2.0</sub>







#### DEFA Lighting and our philosophy

We believe that knowledge, experience and a strong desire to learn are the best tools for providing complete and ideal lighting solutions.

Our goal is to become the prefered partner in projects of all sizes and we are investing heavily in being able to provide the best possible expertise, planning and service, from start to finish.

### A step ahead of the competition

Flexible use of sensors and control systems

Flicker-free light

Indoor and outdoor use

#### Protect<sub>2.0</sub>

**Application areas:** P-house, prison, facade, entrance, stairs, public convenience, pedestrian area and underpasses.

Module: Ø240 mm - height 80 mm


Lighting management: DALI, Radar sensor, Twilight

Colour temperature: 3000 - 4000K

Effect fitting: 8W

Variants: Black, Aluminium, White





87 mm




Lowest building heights in the market

Smaller boxes for easier transportation

Easier installation

Slim design & easy mounting



#### $\mathbf{Neptune}_{\mathbf{2.0}}\,|\,\mathsf{Half}\,\mathsf{cover}$

**Application areas:** P-houses, facades, entrances, stairs, public conveniences, pedestrian areas and underpasses

Module: Ø240 mm - height 87 mm

**Lighting management:** DALI, Radar sensor, Twilight

Colour temperature: 3000 - 4000K

Effect fitting: 8W

Variants: Black, Aluminium, White



# Neptune<sub>2.0</sub> | Grid

New unique design!

**Application areas:** P-house, facades, entrances, stairs, public conveniences, pedestrian areas and underpasses

Module: Ø240 mm - height 93 mm

Lighting management: DALI, Radar sensor, Twilight

Colour temperature: 3000 - 4000K

Effect fitting: 8W

Variants: Black, Titan, White





## Quality and durability

15 year protection - corrosion class C5

Completely uniform light surface

Glossy diffuser surface - remains clean



**Application areas:** P-house, facades, entrances, stairs, public conveniences, pedestrian areas and underpasses

Module: Ø240 mm - 87 mm

Lighting management: DALI, Radar sensor, Twilight

Colour temperatue: 3000 - 4000K

Effect fitting: 8W

Variants: Black, Aluminium, White



### A complete solution

Flicker free light Ideal replacement fittings DC Driver ensures BREEAM compliance Same dimensions as last generation Long lived in harsh environments Minimal dirt collection 15 year protection - corrosion class C5 Glossy diffuser surface Uniform light surface Strong and rigid structure Unique LED module design Aluminium body Energy saving control functions Vandal proof Twilight and radar sensors IK10 rating Slim design - indoor and outdoor use Protected against water and dust Low build height 80 mm / 93 mm IP65 rating

ARC is available for pole mounting of all versions.

#### About DEFA:

Our goal is to make people's lives easier, more efficient and more environmentally friendly. We provide products and services that improve the way people charge, preheat and secure their vehicles, light up their buildings and roads, control their belongings and much more.

We are dedicated to keep creating great products through continuous improvement and innovation.

DEFA is a Norwegian company, founded in 1946. We currently have more than 400 employees on 3 continents.

Our products and services are distributed in more than 30 countries worldwide. defa.com

